

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

## **CB TEST CERTIFICATE**

Product

Name and address of the applicant

Name and address of the manufacturer

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

Trademark (if any)

Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

As shown in the Test Report Ref. No. which forms part of this Certificate

Contactor and motorstarter, electromechanical

ZHE JIANG ETEK Electrical Technology CO.,LTD. NO.288, Wei 17th Road, Yueqing Economic Development Zone, 325600 Yueqing, Wenzhou, Zhejiang CHINA

ZHE JIANG ETEK Electrical Technology CO.,LTD. NO.288, Wei 17th Road, Yueqing Economic Development Zone, 325600 Yueqing, Wenzhou, Zhejiang CHINA

Yueqing BOOMGI Electric Co.,Ltd. Co.,Ltd., Zhejiang Saigema Building, Dianhou Village, Liushi Town, 325604 Yueqing City, Zhejiang CHINA

☐ Additional Information on page 2

See additional information



EKMF32, EKMF32M, EKMF40, EKMF40M, EKMF63, EKMF63M

□ Additional Information on page 2

IEC 60947-1:2020 IEC 60947-4-1:2018

282746-TL3-1

This CB Test Certificate is issued by the National Certification Body

**VDE** Prüf- und Zertifizierungsinstitut GmbH **VDE** Testing and Certification Institute

Zertifizierungsstelle und internat. Angelegenheiten Certification Body and internat. Affairs

Date: 2021-03-26 Signature:



DE1-64782

Additional information (if necessary) AC-1, Ue = AC 250 V (2P); AC 400V (3P, 4P); 50/60 Hz Ie: 32 A for EKMF32, EKMF32M Ie: 40 A for EKMF40, EKMF40M Ie: 63 A, for EKMF63, EKMF63M	
AC-3, Ue = AC 250V (2P); AC 400V (3P, 4P); 50/60 Hz le: 12 A for EKMF32, EKMF32M le: 18 A for EKMF40, EKMF40M le: 25 A, for EKMF63, EKMF63M	
Ith: 63 A; Ui: 500V; Uimp: 4,0 kV Us: AC 24 V; AC 110 V; AC 220-240 V, AC 380 V (only 3P,4P); 50/60 Hz "r" = Iq = 3 kA; coordination Type I	
VDE Prüf- und Zertifizierungsinstitut GmbH  VDE Testing and Certification Institute	
Zertifizierungsstelle und internat. Angelegenheiten Certification Body and internat. Affairs	

Date: 2021-03-26

Signature: